

G1™ Selection Guide

G1 Pumps and Accessories



G1 Standard

Comes standard with no controller for use with separate or existing machine control for a low cost solution. Capable of sending a low level signal to your external controller or PLC with the low level option.

	Reservoir Size	Part Number	Voltage	Wiper Arm	Follower Plate	External Low Level	Power Connection
Application	Grease	2 liter	94G006	12 VDC	✓		CPC
			94G009	12 VDC	✓	✓	CPC
			94G018	24 VDC	✓		CPC
			94G021	24 VDC	✓	✓	CPC
			94G036	24 VDC	✓		DIN
			94G039	24 VDC	✓	✓	DIN
			94G063	90-240 VAC	✓		DIN
			94G066	90-240 VAC	✓	✓	DIN
			94G069	90-240 VAC		✓	DIN
		4 liter	94G007	12 VDC	✓		CPC
			94G010	12 VDC	✓	✓	CPC
			94G019	24 VDC	✓		CPC
			94G022	24 VDC	✓	✓	CPC
			94G037	24 VDC	✓		DIN
			94G040	24 VDC	✓	✓	DIN
			94G064	90-240 VAC	✓		DIN
			94G067	90-240 VAC	✓	✓	DIN
			94G070	90-240 VAC		✓	DIN
		8 liter	94G008	12 VDC	✓		CPC
			94G011	12 VDC	✓	✓	CPC
			94G020	24 VDC	✓		CPC
			94G023	24 VDC	✓	✓	CPC
			94G038	24 VDC	✓		DIN
			94G041	24 VDC	✓	✓	DIN
			94G065	90-240 VAC	✓		DIN
			94G068	90-240 VAC	✓	✓	DIN
			94G071	90-240 VAC		✓	DIN

G1™ Selection Guide

G1 Pumps and Accessories



G1 Standard (continued)

		Reservoir Size	Part Number	Voltage	Wiper Arm	Follower Plate	External Low Level	Power Connection
Application	Oil	2 liter	94G042	24 VDC				DIN
			94G045	24 VDC			✓	DIN
			94G072	90-240 VAC				DIN
			94G075	90-240 VAC			✓	DIN
		4 liter	94G043	24 VDC				DIN
			94G046	24 VDC			✓	DIN
			94G073	90-240 VAC				DIN
			94G076	90-240 VAC			✓	DIN
		8 liter	94G044	24 VDC				DIN
			94G047	24 VDC			✓	DIN
			94G074	90-240 VAC				DIN
			94G077	90-240 VAC			✓	DIN

G1 Standard Power Cables

126217	15 foot - 3 wire CPC connector
16U790	15 foot - DIN connector

G1™ Selection Guide

G1 Pumps and Accessories



G1 Plus

Built-in controller with selectable pump on/pump off timer comes with local manual run and password protection. Optional low level sensing and shut-down available, as well as remote manual run when adding the 5 wire CPC cable and remote push button accessories.

	Reservoir Size	Part Number	Voltage	Remote Manual Run*	Wiper Arm	Follower Plate	External Low Level ¹	Low Level	Power Connection
Application	Grease	2 liter	94G000	✓	✓				CPC
			94G003	✓	✓		✓	✓	CPC
			94G012	✓	✓				CPC
			94G015	✓	✓		✓	✓	CPC
			94G024		✓				DIN
			94G027		✓			✓	DIN
			94G048		✓				DIN
			94G051		✓			✓	DIN
			94G054			✓		✓	DIN
		4 liter	94G001	✓	✓				CPC
			94G004	✓	✓		✓	✓	CPC
			94G013	✓	✓				CPC
			94G016	✓	✓		✓	✓	CPC
			94G025		✓				DIN
			94G028		✓			✓	DIN
			94G049		✓				DIN
			94G052		✓			✓	DIN
			94G055			✓		✓	DIN
		8 liter	94G002	✓	✓				CPC
			94G005	✓	✓		✓	✓	CPC
			94G014	✓	✓				CPC
			94G017	✓	✓		✓	✓	CPC
			94G026		✓				DIN
			94G029		✓			✓	DIN
			94G050		✓				DIN
			94G053		✓			✓	DIN
			94G056			✓		✓	DIN

* = Requires use of the 5 wire CPC cable and remote push button accessory.

1 = External Low Level indicated on Remote Manual Run accessory when using 5 wire CPC cable and remote push button accessory.

North America Customer Service **800-533-9655** Fax **800-533-9656**

www.graco.com

©2013 Graco Inc. • P.O. Box 1441 • Minneapolis, MN 55440-1441 • Rev. B • 03/13 • Printed in U.S.A.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

G1™ Selection Guide

G1 Pumps and Accessories



G1 Plus (continued)

		Reservoir Size	Part Number	Voltage	Remote Manual Run	Wiper Arm	Follower Plate	External Low Level	Low Level	Power Connection
Application	Oil	2 liter	94G030	24VDC						DIN
			94G033	24VDC					✓	DIN
			94G057	90-240 VAC						DIN
			94G060	90-240 VAC					✓	DIN
		4 liter	94G031	24VDC						DIN
			94G034	24VDC					✓	DIN
			94G058	90-240 VAC						DIN
			94G061	90-240 VAC					✓	DIN
		8 liter	94G032	24VDC						DIN
			94G035	24VDC					✓	DIN
			94G059	90-240 VAC						DIN
			94G062	90-240 VAC					✓	DIN

G1 Plus Power Cables

126217	15 foot - 3 wire CPC connector
123750	15 foot - 5 wire CPC connector
126219	20 foot - 5 wire CPC connector
126220	30 foot - 5 wire CPC connector
123358	15 foot - DIN connector